Cancer in Montana Preliminaryⁱ Report for 2006-2010

Released January 2012

This is a preliminary report for the 2006-2010 reporting interval. Data for the diagnosis year 2010 are considered 95% complete at this time. A comprehensive final annual report will be released in December 2012.

All Sites and Top Four Sites Age-Adjusted Incidence Ratesⁱⁱ With 95% Confidence Intervals Number of Cases

| | All Races | | | White | Am. Indian |
|------------|-----------------|-----------------|-----------------|-----------------|-------------------|
| | Total | Male | Female | Total | Total |
| | 456.7 | 514.9 | 409.5 | 447.3 | 549.1 † |
| All Sites | (451.0 – 462.3) | (506.2 – 523.7) | (402.0 - 417.1) | (441.6 – 453.1) | (515.5 – 582.9) |
| | 25,780 cases | 13,793 cases | 11,987 cases | 24,111 cases | 1,152 cases |
| Breast | | | 123.0 | 123.1 | 125.0 |
| (female) | | | (118.8 – 127.8) | (118.8 - 127.3) | (104.4 – 145.7) |
| (lemale) | | | 3,571 cases | 3,389 cases | 151 cases |
| | 44.1 | 51.2 | 37.7 | 42.8 | 77.1 [†] |
| Colorectal | (42.4 – 45.9) | (48.4 – 54.0) | (35.5 - 40.0) | (41.0 – 44.5) | (64.1 - 90.1) |
| | 2,505 cases | 1,353 cases | 1,152 cases | 2,326 cases | 154 cases |
| | 61.1 | 68.7 | 55.4 | 60.1 | 98.5 † |
| Lung | (59.1 – 63.2) | (65.5 – 72.0) | (52.7 - 58.1) | (58.0 – 62.2) | (83.9 – 113.1) |
| | 3,466 cases | 1,800 cases | 1,666 cases | 3,269 cases | 195 cases |
| | | 156.3 | | 148.1 | 154.5 |
| Prostate | | (151.6 – 161.0) | | (143.4 -152.7) | (126.0 – 183.0) |
| | | 4,396 cases | | 4,010 cases | 137 cases |

Preliminary data are subject to change slightly when final report is published.

ii Rates are age-adjusted to the 2000 standard million population.

[†] American Indian incidence rate is statistically significantly higher than the White or All Races incidence rates.